

GANGA ENGINEERING WORKS
SPECIFICATION DETAILS FOR 4" SUBMERSIBLE PUMP

S.No	Model / Stage	HP	Delivery Size MM	Rated		Range	
				Head (M)	Discharge (LPM)	Head (M)	Discharge (LPM)
1	GR1/10	0.5	25	30	30	40/20	20/40
2	GR1/16	0.5	25	40	30	45/30	20/40
3	GR1/16	0.75	25	45	30	55/35	20/40
4	GR1/18	1.00	25	60	30	70/50	20/40
5	GR1/24	1.50	25	85	3	95/75	20/40
6	GR1/30	1.50	25	110	30	120/100	20/40
7	GR1/40	2.00	25	150	30	160/140	20/40
8	GR2/12	0.50	32	51	35	53/41	30/45
9	GR2/12	0.75	32	55	35	57/45	30/45
10	GR2/15	1.0	32	61	35	63/50	30/45
11	GR2/16	1.0	32	67	35	71/59	30/45
12	GR2/18	1.0	32	77	35	81/59	30/45
13	GR2/21	1.5	32	90	35	95/69	30/45
14	GR2/23	1.5	32	98	35	103/76	30/45
15	GR2/24	2.0	32	103	35	108/79	30/45
16	GR2/30	2.0	32	128	35	135/99	30/45
17	GR2/35	2.0	32	148	35	155/120	30/45
18	GR2/40	3.0	32	168	35	175/140	30/45
19	GR4/6	0.5	32	20	60	25/14	50/70
20	GR4/7	0.75	32	24	60	29/16	50/70
21	GR4/9	1.0	32	36	60	41/30	50/70
22	GR4/12	1.0	32	48	60	54/40	50/70
23	GR4/12	1.5	32	54	60	60/45	50/70
24	GR4/15	1.5	32	60	60	66/50	50/70
25	GR4/18	1.5	32	72	60	80/60	50/70
26	GR4/21	2.0	32	92	60	100/86	50/70
27	GR4/30	3.0	32	130	60	137/105	50/70
28	GR7/5	1.0	40	22	120	24/17	100/135
29	GR7/6	1.0	40	27	120	29/20	100/135
30	GR7/7	1.0	40	31	120	34/24	100/135
31	GR7/8	1.5	40	36	120	38/27	100/135
32	GR7/10	2.0	40	50	120	52/42	100/135
33	GR7/12	3.0	40	54	120	58/45	100/135
34	GR7/15	3.0	40	68	120	72/51	100/135
35	GR7/20	4.0	40	90	120	90/68	100/135
36	GR7/21	4.0	40	94	120	100/72	100/135
37	GR7/24	5.0	40	105	120	120/95	100/135

GANGA ENGINEERING WORKS
SPECIFICATION DETAILS FOR 4" SUBMERSIBLE PUMP

38	GR7/25	5.0	40	112	120	122/97	100/135
39	GR7/25	5.0	40	120	120	135/100	100/135
40	GR7/40	7.5	40	160	120	175/135	100/135
41	GM18/5	1.5	50	15	250	18/12	200/300
42	GM18/6	2.0	50	18	250	22/14	200/300
43	GM18/7	3.0	50	21	250	26/17	200/300
44	GM18/8	3.0	50	24	250	30/19	200/300
45	GM18/10	4.0	50	30	250	37/24	200/300
46	GM18/12	5.0	50	36	250	44/26	200/300
47	GM18/15	5.0	50	45	250	55/36	200/300
48	GM18/20	7.5	50	85	250	95/76	200/300